



State of Alaska  
Department of Fish and Game  
Habitat and Restoration Division

Nomination of Waters  
Important to Anadromous Fish

Region: Southcentral

USGS Quad: Kenai C-7

Anadromous Water Catalog Number of Waterway: 245-50-10085-2050

Status: Cataloged

Name of Waterway:

☐ USGS Name

☐ Local Name

☒ Addition

☐ Deletion

☐ Correction

☐ Backup Information

For Office Use

Nomination #	03 092	 Regional Supervisor   AWC Project Biologist   Drafted	3/10/03
Revision Year:	2003		Date
Revision to: Atlas <input checked="" type="checkbox"/> Catalog <input type="checkbox"/>			05 MAR 03
Revision Code: B-2			Date

**SITE INFORMATION** Station: FSH0209b36 Visit: 1 Date Observed: 7/29/2002 Latitude: 60.631383 Longitude: -152.42225  
Legal Description: NW 1/4 Section 10, T. 6 N., R. 18 W., S.M.

STREAM PARAMETER	Wetted	OHW
Width (m)	4	5
Thalweg Depth (m)	1	
Water Temp. (C):	16	Stream Stage: Medium
Dominant Substrate:	Silt/Clay	

Station Comments:

<b>SPECIES INFORMATION</b> coho salmon	Life Stage: Juvenile	Count: 7	Life History: Anadromous
Sampling Method: Portable Electrofisher	Area (m2): 25	Effort (s): 328	Trap in:
Fish passage barrier at site: Unknown			Trap out:
Species Comments: AWC 2002 shows COs upstream			<input type="checkbox"/> 1

<b>SPECIES INFORMATION</b> Dolly Varden	Life Stage: Juvenile/Adult	Count: 17	Life History: Resident
Sampling Method: Portable Electrofisher	Area (m2): 25	Effort (s): 328	Trap in:
Fish passage barrier at site: Unknown			Trap out:
Species Comments: additional fish measured (mm): 115, 118, 113, 124, 112, 107, 109			<input type="checkbox"/> 2

<b>SPECIES INFORMATION</b> ninespine stickleback	Life Stage: Juvenile/Adult	Count: 1	Life History: Resident
Sampling Method: Portable Electrofisher	Area (m2): 25	Effort (s): 328	Trap in:
Fish passage barrier at site: Unknown			Trap out:
Species Comments:			<input type="checkbox"/> 3

Additional Comments: Previously cataloged for COs only.

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Name of Observer: Cecil Rich, Habitat Biologist

Phone: (907)267-2122

Date Printed: 12/10/2002

Signature:

ALASKA DEPT. OF  
FISH & GAME


Address: Habitat and Restoration Division, Alaska Department of Fish and Game  
333 Raspberry Road  
Anchorage, AK 995181599 USA

JAN 14 2003

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_





Add COR  
to  
245-50-10085-2050



Cotton Creek

Little Jack Slough





State of Alaska  
Department of Fish and Game  
Habitat and Restoration Division

Nomination of Waters  
Important to Anadromous Fish

Region: Southcentral

USGS Quad: Kenai C-7

Anadromous Water Catalog Number of Waterway: 245-50-10085-2050

Status: Cataloged

Name of Waterway: \_\_\_\_\_

☐ USGS Name

☐ Local Name

☐ Addition

☐ Deletion

☐ Correction

☐ Backup Information

For Office Use

Nomination # _____	_____
Revision Year: _____	_____
Revision to: Atlas _____ Catalog _____	_____
Both _____	_____
Revision Code: _____	_____
Regional Supervisor	Date _____
AWC Project Biologist	Date _____
Drafted	Date _____

**SITE INFORMATION** Station: FSH0208A32 Visit: 1 Date Observed: 7/25/2002 Latitude: 60.639958 Longitude: -152.37777

Legal Description: NE 1/4 Section 2, T. 6 N., R. 18 W., S.M.

STREAM PARAMETER	Wetted	OHW
Width (m)	10.7	15
Thalweg Depth (m)	0.85	
Water Temp. (C):	13.6	
Stream Stage:	Medium	
Dominant Substrate:	Silt/Clay	

Station Comments:

<b>SPECIES INFORMATION</b> rainbow trout	Life Stage: Juvenile	Count: 2	Life History: Unknown
Sampling Method: Portable Electrofisher	Area (m2):	Effort (s): 131	Trap Time (h):
Fish passage barrier at site: Unknown			Trap in:
Species Comments:			Trap out:

1

<b>SPECIES INFORMATION</b> coho salmon	Life Stage: Juvenile	Count: 4	Life History: Anadromous
Sampling Method: Portable Electrofisher	Area (m2):	Effort (s): 131	Trap Time (h):
Fish passage barrier at site: None			Trap in:
Species Comments:			Trap out:

2

<b>SPECIES INFORMATION</b> Dolly Varden	Life Stage: Juvenile/Adult	Count: 5	Life History: Resident
Sampling Method: Portable Electrofisher	Area (m2):	Effort (s): 131	Trap Time (h):
Fish passage barrier at site: None			Trap in:
Species Comments:			Trap out:

3

Additional Comments:

Next Page  
for more  
species...

IMPORTANT: Provide all supporting documentation that this water body is important for the spawning, rearing or migration of anadromous fish, including: number of fish and life stages observed; sampling methods, sampling duration and area sampled; copies of field notes; etc. Attach a copy of a map showing location of mouth and observed upper extent of each species, as well as other information such as: specific stream reaches observed as spawning or rearing habitat; locations, types, and heights of any barriers; etc.

Name of Observer: Joe Buckwater, Fish and Wildlife Technician

Phone: (907)267-2345

Date Printed: 12/10/2002

Signature: Joe Buckwater

Address: Habitat and Restoration Division, Alaska Department of Fish and Game  
333 Raspberry Road  
Anchorage, AK 995181599 USA

This certifies that in my best professional judgment and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.

Signature of Area Biologist: \_\_\_\_\_

**SPECIES INFORMATION** sculpin, undifferentiated

**Life Stage:** Juvenile/Adult

**Count:** 3

**Life History:** Unknown

**Sampling Method:** Portable Electrofisher

**Area (m2):**

**Effort (s):** 131

**Trap Time (h):**

**Trap in:**

**Fish passage barrier at site:** Unknown

**Trap out:**

**Species Comments:**